



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

QA Testing

1 of 4

Spritz - Jezzica Rabbit

Sample ID: 2258

Strain: Spritz - Jezzica Rabbit

Matrix: Plant

Type: Flower - Cured

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 09/03/2025

Batch#: SP-JR-8272025

Client

Natura Management LLC

Lic. #

8280 Elder Creek Road

Sacramento, CA 95828



Summary

Test

Date Tested

Result

Batch

Pass

Cannabinoids

Complete

Heavy Metals

Pass

Microbials

Pass

Moisture

11.3% - Complete

Mycotoxins

Pass

GCMS Pesticides

Pass

LCMS Pesticides

Pass

Residual Solvents

Complete

Water Activity

0.43 aw - Pass

Cannabinoids

Complete

0.2564%

Δ^9 -THC

28.7500%

THCa

26.820%

Total Cannabinoids

| Analyte | LOQ | LOD | Result | Result |
|-----------------|--------|--------|---------|---------|
| | % | % | mg/g | % |
| CBC | 0.0025 | 0.0009 | ND | ND |
| CBD | 0.0050 | 0.0025 | 11.703 | 1.1703 |
| CBDa | 0.0050 | 0.0019 | 0.655 | 0.0655 |
| CBG | 0.0050 | 0.0025 | 1.220 | 0.1220 |
| CBN | 0.0025 | 0.0009 | ND | ND |
| Δ^8 -THC | 0.0050 | 0.0019 | ND | ND |
| Δ^9 -THC | 0.0050 | 0.0019 | 2.564 | 0.2564 |
| THCa | 0.0025 | 0.0013 | 287.500 | 28.7500 |
| THCV | 0.0050 | 0.0025 | ND | ND |
| Total THC | | | 254.701 | 25.470 |
| Total CBD | | | 12.278 | 1.228 |
| Total CBG | | | 1.220 | 0.122 |
| Total | | | 268.200 | 26.820 |

Date Tested:

Total Δ^9 -THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG.

Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, SOP-004

Water Activity: Water Activity Meter, SOP-012

Moisture Content: Moisture Analyzer, SOP-011

Foreign Matter: Visual Inspection, SOP-001



Accreditation #128081
ISO/IEC 17025:2017

Sarah A. Pol

Lab Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

QA Testing

2 of 4

Spritz - Jezzica Rabbit

Sample ID: 2258

Strain: Spritz - Jezzica Rabbit

Matrix: Plant

Type: Flower - Cured

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 09/03/2025

Batch#: SP-JR-8272025

Client

Natura Management LLC

Lic. #

8280 Elder Creek Road

Sacramento, CA 95828

GC Pesticides

Pass

| Analyte | LOD | LOQ | Limit | Mass | Status |
|--------------------------------------|-------|-------|-------|------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Captan | 0.054 | 0.097 | 0.7 | ND | Pass |
| Chlordane (trans + cis) | 0.058 | 0.098 | 0.058 | ND | Pass |
| Chlorfenapyr | 0.056 | 0.097 | 0.056 | ND | Pass |
| Cyfluthrin | 0.052 | 0.097 | 2 | ND | Pass |
| Cypermethrin | 0.054 | 0.097 | 1 | ND | Pass |
| Parathion Methyl | 0.039 | 0.097 | 0.039 | ND | Pass |
| Pentachloronitrobenzene (Quintozene) | 0.062 | 0.097 | 0.1 | ND | Pass |

Mycotoxins

Pass

| Analytes | LOD | LOQ | Limit | Conc. | Status |
|------------------|---------|---------|-------|-------|--------|
| | µg/kg | µg/kg | µg/kg | µg/kg | |
| Aflatoxin B1 | 4.0000 | 5.0000 | | ND | Tested |
| Aflatoxin B2 | 4.0000 | 5.0000 | | ND | Tested |
| Aflatoxin G1 | 4.0000 | 5.0000 | | ND | Tested |
| Aflatoxin G2 | 4.0000 | 5.0000 | | ND | Tested |
| Ochratoxin A | 10.0000 | 16.0000 | 20 | ND | Pass |
| Total Aflatoxins | | | 20 | ND | Pass |

Microbials

Pass

| Analyte | Limit | Detected / Not Detected | Status |
|-------------------------------|-------|-------------------------|--------|
| | RFU/g | RFU/g | |
| Aspergillus flavus | 0 | Not Detected | Pass |
| Aspergillus fumigatus | 0 | Not Detected | Pass |
| Aspergillus niger | 0 | Not Detected | Pass |
| Aspergillus terreus | 0 | Not Detected | Pass |
| Shiga toxin-producing E. Coli | 0 | Not Detected | Pass |
| Salmonella SPP | 0 | Not Detected | Pass |

Heavy Metals

Pass

| Analyte | LOD | LOQ | Limit | Conc. | Status |
|---------|---------|-------|-------|-------|--------|
| | PPM | PPM | PPM | PPM | |
| Arsenic | 0.0150 | 0.05 | 0.2 | ND | Pass |
| Cadmium | 0.0113 | 0.05 | 0.2 | ND | Pass |
| Lead | 0.00615 | 0.05 | 0.5 | ND | Pass |
| Mercury | 0.00126 | 0.005 | 0.1 | ND | Pass |

GCMS Date Tested:

Pesticides: GC-MS/MS, GCMS Method SOP-006

LCMS Date Tested:

Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001

Microbial Date Tested:

Microbials Footnote: Microbial: SOP-010

RFU = Relative Fluorescence Units

Heavy Metals Date Tested:

Heavy Metals: Heavy Metals: ICP-MS, SOP-007



Accreditation #128081

ISO/IEC 17025:2017

Sarah A. Pol

Lab Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

QA Testing

3 of 4

Spritz - Jezzica Rabbit

Sample ID: 2258

Strain: Spritz - Jezzica Rabbit

Matrix: Plant

Type: Flower - Cured

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 09/03/2025

Batch#: SP-JR-8272025

Client

Natura Management LLC

Lic. #

8280 Elder Creek Road

Sacramento, CA 95828

LC Pesticides

Pass

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|-----------------------|-------|-------|-------|--------|--------|---|--------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.043 | 0.097 | 0.1 | ND | Pass | Imazalil | 0.029 | 0.097 | 0.029 | ND | Pass |
| Acephate | 0.019 | 0.097 | 0.1 | ND | Pass | Imidacloprid | 0.021 | 0.097 | 5 | ND | Pass |
| Acequinocyl | 0.031 | 0.097 | 0.1 | ND | Pass | Kresoxim Methyl | 0.045 | 0.097 | 0.1 | ND | Pass |
| Acetamiprid | 0.023 | 0.097 | 0.1 | ND | Pass | Malathion | 0.027 | 0.097 | 0.5 | ND | Pass |
| Aldicarb | 0.029 | 0.097 | 0.029 | ND | Pass | Metalaxyl | 0.029 | 0.097 | 2 | ND | Pass |
| Azoxystrobin | 0.025 | 0.097 | 0.1 | ND | Pass | Methiocarb | 0.029 | 0.097 | 0.029 | ND | Pass |
| Bifenazate | 0.031 | 0.097 | 0.1 | ND | Pass | Methomyl | 0.029 | 0.097 | 1 | ND | Pass |
| Bifenthrin | 0.033 | 0.097 | 3 | ND | Pass | Mevinphos | 0.033 | 0.1 | 0.033 | ND | Pass |
| Boscalid | 0.021 | 0.097 | 0.1 | ND | Pass | Myclobutanil | 0.047 | 0.097 | 0.1 | ND | Pass |
| Carbaryl | 0.025 | 0.097 | 0.5 | ND | Pass | Naled | 0.033 | 0.097 | 0.1 | ND | Pass |
| Carbofuran | 0.033 | 0.097 | 0.033 | ND | Pass | Oxamyl | 0.021 | 0.097 | 0.5 | ND | Pass |
| Chlorantraniliprole | 0.025 | 0.097 | 10 | ND | Pass | Paclobutrazol | 0.027 | 0.097 | 0.027 | ND | Pass |
| Chlorpyrifos | 0.019 | 0.097 | 0.019 | ND | Pass | Permethrin (trans + cis) | 0.033 | 0.1 | 0.5 | ND | Pass |
| Clofentezine | 0.035 | 0.097 | 0.1 | ND | Pass | Phosmet | 0.051 | 0.097 | 0.1 | ND | Pass |
| Coumaphos | 0.039 | 0.097 | 0.039 | ND | Pass | Piperonyl Butoxide | 0.037 | 0.097 | 3 | ND | Pass |
| Daminozide | 0.019 | 0.097 | 0.019 | ND | Pass | Prallethrin | 0.047 | 0.097 | 0.1 | ND | Pass |
| Diazinon | 0.031 | 0.097 | 0.1 | ND | Pass | Propiconazole | 0.023 | 0.097 | 0.1 | ND | Pass |
| Dichlorvos | 0.06 | 0.097 | 0.06 | ND | Pass | Propoxur | 0.027 | 0.097 | 0.027 | ND | Pass |
| Dimethoate | 0.027 | 0.097 | 0.027 | ND | Pass | Pyrethrins (Cinerin + Jasmolin + Pyrethrin) | 0.0133 | 0.04 | 0.5 | ND | Pass |
| Dimethomorph (I + II) | 0.033 | 0.1 | 2 | ND | Pass | Pyridaben | 0.033 | 0.1 | 0.1 | ND | Pass |
| Ethoprophos | 0.023 | 0.097 | 0.023 | ND | Pass | Spinetoram (J + L) | 0.033 | 0.1 | 0.1 | ND | Pass |
| Etofenprox | 0.041 | 0.097 | 0.041 | ND | Pass | Spinosyn (A + D) | 0.033 | 0.1 | 0.1 | ND | Pass |
| Etoxazole | 0.027 | 0.097 | 0.1 | ND | Pass | Spiromesifen | 0.047 | 0.097 | 0.1 | ND | Pass |
| Fenhexamid | 0.031 | 0.097 | 0.1 | ND | Pass | Spirotetramat | 0.019 | 0.097 | 0.1 | ND | Pass |
| Fenoxycarb | 0.041 | 0.097 | 0.041 | ND | Pass | Spiroxamine | 0.025 | 0.097 | 0.025 | ND | Pass |
| Fenpyroximate | 0.023 | 0.097 | 0.1 | ND | Pass | Tebuconazole | 0.027 | 0.097 | 0.1 | ND | Pass |
| Fipronil | 0.037 | 0.097 | 0.037 | ND | Pass | Thiacloprid | 0.033 | 0.097 | 0.033 | ND | Pass |
| Flonicamid | 0.039 | 0.097 | 0.1 | ND | Pass | Thiamethoxam | 0.027 | 0.097 | 5 | ND | Pass |
| Fludioxonil | 0.029 | 0.097 | 0.1 | ND | Pass | Trifloxystrobin | 0.037 | 0.097 | 0.1 | ND | Pass |
| Hexythiazox | 0.043 | 0.097 | 0.1 | ND | Pass | | | | | | |

LCMS Date Tested:

Pesticides: LC-MS/MS. LCMS Method SOP-005



Accreditation #128081
ISO/IEC 17025:2017

Sarah A. Pol

Lab Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



confident

ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.